

High Bay Sporter V

CE RoHS




SPECYFIKACJA


Sporter V											
Nazwa - indeks	Moc	Stopień ochrony	Napięcie	Strumień świetlny	Wydajność	CCT	Żywotność	CRI	Temp. Pracy	Waga	Wymiary
Sporter V-250W	250W	IP65/IK09	AC 200-240V	40.000-42.500lm	160LM/W(Ra80)-170LM/W(Ra70)	3000K / 4000K / 5000K / 5700K / 6500K	50.000h	≥80	od -30°C do +50°C	5.0kg	405x276x117mm
Sporter V-500W	500W	IP65/IK09	AC 200-277V	80.000-85.000lm	160LM/W(Ra80)-170LM/W(Ra70)	3000K / 4000K / 5000K / 5700K / 6500K	50.000h	≥80	od -30°C do +50°C	13.4kg	464x512x159mm
Sporter V-750W	750W	IP65/IK09	AC 200-277V	120.000-127.000lm	160LM/W(Ra80)-170LM/W(Ra70)	3000K / 4000K / 5000K / 5700K / 6500K	50.000h	≥80	od -30°C do +50°C	18.1kg	464x719x159mm
Sporter V-1000W	1000W	IP65/IK09	AC 200-277V	160.000-170.000lm	160LM/W(Ra80)-170LM/W(Ra70)	3000K / 4000K / 5000K / 5700K / 6500K	50.000h	≥80	od -30°C do +50°C	21.3kg	464x926x159mm
Sporter V-1250W	1250W	IP65/IK09	AC 200-277V	200.000-212.500lm	160LM/W(Ra80)-170LM/W(Ra70)	3000K / 4000K / 5000K / 5700K / 6500K	50.000h	≥80	od -30°C do +50°C	27.4kg	464x1133x159mm

WYMIARY


250W




500W




750W




1000W



1250W



ROZSYŁ ŚWIATŁA



KARTA TECHNICZNA PRODUKTU



ul. Kąkolewska 21
64-100 Leszno
Tel. 511 972 370
kontakt@ledkos.pl / m.luck@ledkos.pl